



DACOR FLOATS, FLAGS AND VEST

provide you with the maximum
in safety!




MODEL SF-1 SAFETY FLOAT—

Small and compact, yet large enough when inflated to support a 200-lb. man. Lever action inflates easily; bleeder hole for rapid deflation. Float mechanism resists corrosion from sun, salt or chlorine. Special cartridge retainer makes it easy for you to remove and replace low-cost selfzer cartridges which are available at most drug or sporting goods stores.



MODEL SF-2 SAFETY FLOAT

Same as above but with double cartridge. Ideal for use as marker buoy or emergency float for boaters. Both floats available in black or yellow. **12.95**



MODEL DSF DIVERS SAFETY FLAG

A necessary safety precaution. Attaches to inner tube by corrosion resistant metal bracket and adjustable strap. Three foot black fiberglass shaft holds standard 12" x 15" international divers' flag. Flag is supported in upright position. **6.95**

MODEL DV-2 VEST 22.95

Newly designed in rubberized nylon with form fitting collar, heat fused seams with special edge binding for added strength. Shorter and more comfortable, eliminates interference with weight belt. Features zipper pocket, quick release harness, 16 gram CO₂ cartridge. Available in orange or charcoal.



MODEL DM-10 UNIVERSAL 5.25

DACOR'S most popular mask features slanted design for greater visibility, easier equalizing with gloved hands or arms. Patented separated nostril pads close nostrils without interfering with web between nostrils. Features purge valve for easy water clearing. Available in blue and black. **6.25**

MODEL DM-13 TRITON 6.25

Same as DM-12 but without purge valve. Available in blue and black. **6.25**

MODEL DM-14 "SEE RITE" 6.25

20% more side visibility with this specially designed mask for wider faces. Features purge valve to clear water easily. Available in blue and black.

MODEL DM-15 "SEE RITE" 5.25

Same as DM-14 but without purge valve. Available in blue and black. **5.25**

MODEL DM-16 "VEDO" 10.50

Mask is specially designed for easy lens replacement. You can easily substitute your own prescription lenses. "O" ring insures against leakage; include lens tool. Available in black only.

MODEL DM-17 MONDIAL 12.50

This is our deluxe mask for the diver who wants the best. Maximum leak-proof double feather edge is contoured to fit the face perfectly eliminating facial fatigue. Minimum air volume between diver's face and lens, easy to equalize. Available in blue and black.

MODEL DM-30 EQUALIZER

Features the soft, excellent sealing qualities and comfort of our famous DM 10, but has finger wells for easy equalization. Purge valve. In blue and black. **7.25**

MODEL DM-31 EQUALIZER

Same as DM 30 but without purge valve. Available in blue and black. **6.25**

MODEL DM-20 NEWPORT


Slanted lens and close fit to the face for wider field of vision. Front entry finger wells for easy equalizing. Black only. **8.95**

MODEL DG SWIM GOGGLES

Championship type. Soft double feather edge for leak-proof seal. Tempered lens. Close to face design to eliminate drag. **4.50**

DACOR MASKS

Rubber is compounded to resist ozone, sun and salt. Special care and attention is given to the feather edges for sure-seal fit and long-wearing comfort. Tempered lens, stainless steel rims, chrome-plated brass strap buckles.



DACOR REGULATORS... the world's standard of excellence

When it comes to regulators, Dacor has reason to be proud of its record of precision manufacture and quality control. Dacor has gained a reputation for excellence over the past 14 years for developing regulators that assure effortless breathing and continuous reliability.

Every Dacor regulator now offers up to 30 cubic feet per minute with absolute minimum breathing effort. Regardless of exertion at depth, Dacor regulators will deliver the volume of air required. Dacor's exclusive new injection system is the most important advancement in regulator design in the past 20 years. Air surges to the mouth are completely eliminated because of Dacor's Computed Volume Systems.

Dacor's standard of excellence requires every regulator to be performance tested in fully instrumented testing facilities. In addition Dacor maintains a continuous quality control and research program under which regulators are subjected to environmental tests at temperatures down to 83 degrees below zero F. and to simulated dives to 7,000 feet. These units are under pressure and underwater where breathing cycles are obtained from a specially designed mechanical breathing device which is subjected to the same conditions as the regulators.

This is why the Dacor regulators are the first choice of leading organizations for their "Man in the Sea" type programs. Dacor regulators are tested in the lab . . . proven in the field.

All Dacor regulators are covered by a 5 year guarantee certificate which is attached to each regulator.

MODEL D-1 SINGLE HOSE TWO STAGE "DART"—

With all these quality features:

1. Large area diaphragms for easy breathing.
2. Parts made of heavy gauge brass are copper and nickel chrome-plated for lifetime corrosion resistance.
3. Extra comfort mouthpiece.
4. Rubber exhaust tubes discharge exhaled air out of the field of vision.
5. Air gauge and air compressor connector.
6. Second Stage ideally balanced to eliminate any feeling of weight or pull on your mouth.
7. All hoses tested at five times working pressure.
8. Down stream fail safe second stage valve.

64.50

MODEL D-2 SINGLE HOSE TWO STAGE "DART"—


Identical features as above but with one piece heavy-duty forged yoke and body.

69.50


MODEL DR-2 SINGLE HOSE TWO STAGE "DART"—

Same as above but with 300 PSI reserve in the first stage.


Reserve guaranteed accurate within 5%! **84.50**



MODEL D-1



MODEL D-2



MODEL DR-2



MODEL R-4—TWO STAGE—
DOUBLE DIAPHRAGM

This regulator represents the ultimate in breathing perfection. This unit has been used by professionals the world over for more than 14 years. Two large area diaphragms for easy breathing; high polished triple chrome plating for extra long life. Here is superb design and craftsmanship with built in reliability to meet every diver's exacting demands at any depth.

89.50




MODEL C-3—TWO STAGE "CLIPPER"

Two hose, two stage model is the highest quality ever offered at a popular price. Same basic features as Model R-4 but without separate exhaust chamber and exhaust diaphragm. This regulator offers extreme ease of breathing with air volume of 30 cubic feet per minute.

74.50

DACOR ACCESSORIES are professionally tested under rugged conditions



**MODEL UL-700—
UNDERWATER LIGHT—**
87,000 Candle power sealed
beam with concentrated power
for extra long visibility underwater.
This is the light used by leading
organizations in their deep diving projects.
Not a land light revamped for diving,
but a specially designed diving light with
depth compensating seals. Uses 6-volt
battery available everywhere. It floats!
Guaranteed leakproof to 700 feet. 18.95

A MODEL DKB—KNIFE and
SHEATH—
7" long, hand-forged Solingen
stainless steel blade will keep
its edge far longer than or-
dinary diving knives! With
molded non-slip rubber handle
rings—camera adjusts to slow
and combination leg and waist
sheath. Exclusive serrated-saw
edge; markings on blade for
measuring abalone. 11.95

B MODEL WB—"QUICK-
DITCH" WEIGHT BELT—
Made of sturdy 2" nylon with
stainless steel quick-release
buckle. Buckle features quick
action tongue which guaran-
tees "full open" position when
opened for any emergency.
Belt will not slide when closed.
Available in yellow, blue or
black.

C MODEL DW2—WEIGHT—
Two pound custom contoured
lead weight containing nickel
for the diver who wants a bet-
ter quality weight with a
smoother finish and less dis-
coloration. 1.95

D UC-100 UNDERWATER
CAMERA—
Featuring: Eastman Kodak
Instamatic Camera. Case is
guaranteed leakproof up to
200-feet. Sealed with "O"
rings—camera adjusts to slow
lens speed when used with the
flash attachment. 49.50

E MODEL FA—FLASH
ATTACHMENT—
Rust-proof permanent finish
with exclusive white reflector
for the best light diffusion un-
derwater. 15.00

F MODEL A1 ACCESSORY
INFLATOR
Built-in restricted orifice re-
duces air volume for slower in-
flation, providing safety.
For use in filling auto tires,
inner tubes, and other items.
Attach to diving cylinder
valve for inflation needs. 9.95

MEN'S WET SUIT
MODEL 100—Men's jacket and
pants—3/16" Tuff-Textured ex-
terior—nylon lined. 64.50

MODEL 200—Men's jacket and
pants—1/4" Tuff-Textured exte-
rior—nylon lined. 72.50



SMALL	MED.	LARGE	X-LGE.
5'5"-5'9"	5'7"-6'0"	5'10"-6'1"	6'0"-6'2"
35-150	150-170	175-190	190-220
30-32	32-34	34-37	38-40
36-38	38-40	40-42	42-44

MEN'S SUITS AND JACKETS SIZE CHART


**MODEL SJM—
MEN'S SKI JACKET 25.50**
Perfect by itself for surfing
or water skiing; ideal under
water! Nylon lined for com-
fort. 15.50

MODEL VST SKI VEST
Glove.
Provides comfortable and
easy movement for all fin-
gers and thumb. Nylon lined.
7.50

**MODEL MT-100—
3 FINGERED MITT—**
Provides protection and in-
sulation. Nylon lined. 6.00

**MODEL HD-100—3/8" Tuff-
Textured exterior. 6.50**
Specially designed face
opening for maximum pro-
tection and comfort. Nylon
lined.

**MODEL HD-200—1/4" Tuff-
Textured exterior. 6.95**



PHOTOGRAPHED AT CYPRESS GARDENS



**NEW THERMO-SKIN is softer and stronger—
twists, bends, and moves with you—for maximum
comfort and heat retention. All seams are double
and triple glued. Seam ends are double sewn for
longer wear. Tuff-Textured exterior, with nylon lining
bonded to closed cell neoprene, every suit is
contoured to fit perfectly. Suits have twist
locks and 5 nickel zippers.**

NYLON LINED WET SUITS for the wet set

WOMEN'S WET SUIT
Styled with built in bustline and
contoured pant legs.
MODEL 150—Woman's jacket
and pants—3/16" Tuff-Textured
exterior—nylon lined. 64.50



SMALL	MEDIUM	LARGE
32-34	34-36	36-38
20-24	22-26	26-30
32-36	34-38	36-40
100-120	110-130	120-145

WOMEN'S SUITS AND JACKETS SIZE CHART



**MODEL SBT-100—3/8" Tuff-
Textured exterior. Nylon
lined. 6.50**
Provides comfortable and
easy movement for all fin-
gers and thumb. Nylon lined.
7.50

**MODEL SBT-200—1/4" Tuff-
Textured exterior. Nylon
lined. 6.50**
Provides protection and in-
sulation. Nylon lined. 6.00

**MODEL HBT-100—3/8" hard
sole Tuff-Textured exterior.
Nylon lined. 7.50**


MODEL GST—WRAP-AROUND BIG BARREL SNORKEL—
The first major improvement in snorkel concept and design in many years. Made especially for the expert skin diver who needs that extra volume for deeper dives. "Wrap Around" design fits contour of head and minimizes water resistance while diving. Extra large diameter barrel allows easier volume intake, yet it is exceptionally easy to clear. Short length minimizes CO2 build up and eliminates drag in water. High impact clear plastic construction, molded rubber lug-type mouthpiece and "Glo-Top."

4.50



MODEL FST — SPIRAL-FLEX "GLO-TOP" SNORKEL —
Flexible spiral hose bends to any shape or angle, spins water out, won't crimp or shut off air.

3.30



MODEL UST — UNIVERSAL "GLO-TOP" SNORKEL —
This most popular type snorkel delivers maximum air volume under all conditions. The universal favorite of divers the world over. Odorless and tasteless with shape retaining DACOR extra comfort mouthpiece, iridescent Orange top.

2.20




MODEL LST—"L" SHAPED SNORKEL
Exciting new addition to DACOR'S snorkel line. New design minimizes drag by reducing tubing below head level. Comfortable lug type mouthpiece.

2.70



SNORKELS and FINS
are scientifically designed for maximum performance

DACOR ALL RUBBER SNORKELS—
Long wearing black rubber compounded to resist sun, salt, and ozone. Comfortable odorless and tasteless mouthpiece. Original Orange "Glo-Top" — not a paper decal — but a special flexible plastic that actually reflects light. It's iridescent!



IMPROVED "CORDA" FINS —
Longer blades and heavier side rails now deliver astonishing speed and more power! Finest quality rubber, comfortable for untiring use, ideally balanced for maximum efficiency. Sizes 2 through 15 in Black (non-floating) and blue (floating).

CORDA BLACK		CORDA BLUE			
C22K	Size 2-3	7.95	C23U	Size 2-3	8.95
C45K	Size 4-5	8.95	C45U	Size 4-5	9.95
C67K	Size 6-7	9.95	C67U	Size 6-7	10.95
C78K	Size 7-8	10.95	C78U	Size 7-8	11.95
C910K	Size 9-10	10.95	C910U	Size 9-10	11.95
C1112K	Size 11-12	11.95	C1112U	Size 11-12	12.95
C1315K	Size 13-15	12.95	C1315U	Size 13-15	13.95

DACOR GAUGES, WATCH AND COMPASS
are always accurate and easy to read!



A MODEL DGR-100 DEPTH GAUGE—
Highly accurate, corrosion resistant mechanism in hermetically sealed case. Large luminous dial for easy reading. One piece molded rubber case and strap for extra gauge protection. Reads to 100 feet. 11.95

MODEL DGR-200 DEPTH GAUGE—
Same features as above but reads to 200 feet (not shown). 11.95


B MODEL DC COMPASS—
Accurate pressure proof compass encased in high impact plastic case with centering bubble for easy leveling. Easy to read luminous markings. Comfortable molded rubber strap. 3.95

C MODEL PGR—DELUXE TANK PRESSURE GAUGE—
Chrome plated brass model features shock resistant neoprene gauge cover. Large knurled relief screw is easy to turn; yoke swivels enabling gauge to be turned for easy reading. Body is machined from solid brass stock, forged yoke and screw. 11.95

D MODEL DPG—UNDERWATER PRESSURE GAUGE—
Gives continuous tank pressure reading while diving. Allows you to accurately time your dive. Rubber-covered case protects against damage. 12,000-PSI high pressure hose. Fits single hose regulators and valves. 22.95

E MODEL PSG—PRESSURE GAUGE
Designed to correctly set pressure in first stage of single hose regulators or in two hose regulator with adapter. Complete with bleeder screw. Model PSGA is adapter for two hose regulator (not shown). 9.95

F MODEL ACW—AUTOMATIC CALENDAR WATCH
Finest quality 17-jewel movement is pressure tested to 1,000 feet. Rotating bezel, luminous dial and anti-magnetic. Stainless steel case. 79.50



DACOR FITTINGS

are machined from finest quality solid brass bar stock!

- PLUG—1/4" N.P.T.** .45
- HEX NIPPLE—1/4" N.P.T.** 2.25
- STREET ELBOW—** With male and female threads, 1/4" N.P.T. 1.80
- MANIFOLD—Application for multiple tank fillings. 1 1/2" hex shape with 6, 1/4" N.P.T. outlets.** 7.80
- ELBOW—1/4" N.P.T.** 2.25
- TANK THREAD REDUCER—** 1" to 1/2" 3.55
- MANIFOLD TEE—** For connecting storage tanks together. 6.35
- YOKE NIPPLE AND NUT—1/4" N.P.T. (yoke and screw not included)** 2.60
- TEE—1/4" N.P.T.** 3.45
- COUPLING—1/4" N.P.T.** 2.80
- "O" RING LUBE—** Specially formulated for use in underwater breathing regulators and valves. . . non-toxic, non-water soluble. 3.50
- NUT AND TAILPIECE—** 1/4" N.P.T. For storage tank valve. 2.95



MODEL DAA — AIR TESTING KIT

First and only field testing kit developed specifically for testing diving air. Determines presence of un-acceptable amounts of Carbon Monoxide, oil, and water. Optional test tubes available for determining the amount of Carbon Dioxide also. Analyzer includes material for six complete tests. Additional materials readily available.

Colorimetric testing tubes, thermometer, and record chart for certification of each test. 38.50

GALVANIZED TANKS

- TG—Bare tank 59.50
- TKG—standard valve tank 69.50
- TRG—reserve valve tank 87.50



DACOR 71.2 Cu. Ft. TANKS

These strong Chrome-Molybdenum steel tanks are safety tested at twice the normal pressure. Designed to float when empty. All tanks come with 3/4" "O" ring seal for positive air retention.

EXCLUSIVE DACOR THERMO-COAT

Special process in which colors are fused to tanks at 450 degrees. Thermo-Coat will not chip fade or peel. Available in Navy Blue, Battleship Gray, Canary Yellow or Jet Black.



THERMO-COAT TANKS

- TC—Bare tank 62.50
- TKC—standard valve tank 74.50
- TRC—reserve valve tank 92.50

DOUBLE TANK BLOCKS





- MODEL TRC-2—Double tanks, Thermo-Coat colors; reserve valve. 174.50
- MODEL TRG-2—Double tanks, galvanized; reserve valve. 164.50
- MODEL CDP-2—Custom Pak for twin tank blocks has two heavy gauge bands (not designed for quick release). Tanks and pak priced separately. 24.95

DACOR TANKS

in rugged Thermo-Coat colors



**DACOR VALVES,
PAKS, TANK BOOT**
superior
in quality
and design



CUSTOM CONTOURED BACK PAKS

MODEL QDP—DELUXE PAK
Specially body contoured for correct tank position and maximum comfort, self locking over-center cam for quick tank change. Large comfortable handle for easy carrying. Handle locks against band when not in use. Quick release at shoulder, and waist has exclusive "Quik-Ditch" buckle. High tensile strength 2" nylon webbing for durability. Made of heavy gauge metal plate that has the rugged Thermo-Coat finish. Two inch wide 300 series adjustable stainless steel band for strength and corrosion resistance. All hardware also of 300 series stainless steel. Available in blue and black. 22.95

MODEL SDP—STANDARD PAK
Same as above except without handle and cam. 16.95

**MODEL CDP-2—
DOUBLE TANK PAK**
See page 3 for illustration
and description. 24.95


A MODEL JV 3/4" VALVE—
3/4" "O" ring seal, spring-loaded reserve valve in bright chrome finish. Easy-to-use large knurled shut-off knob. 300-PSI reserve is fool proof and reliable, design is simplified for accuracy and service free operation. 34.50

B MODEL KV 3/4" VALVE—
Standard "K" valve is made of heavy forged brass with copper, nickel and bright chrome finish. Large, knurled knob is easy to shut off with gloved hands. 19.50

**C MODEL JV 3/4"-2
DOUBLE TANK VALVE—**
Connects two tanks for twin operation. Spring-loaded, reserve type, of heavy brass, chrome plated for longer life. Rugged center section withstands severe stresses; large knurled knob for easy shut off. Reserve set for 500-PSI. 52.50

D MODEL TB TANK BOOT—
Supports tank in upright position, protects tank and eliminates damage to pool tile and other surfaces. Made of sun and salt resistant non-marking rubber. Available in blue, black and yellow. 5.50

DACOR AIR STATION ACCESSORIES are finest quality and construction!



A DELUXE FILLING ATTACHMENT—
Featuring all brass, high pressure fittings. 6-ft. long high pressure hose has minimum burst pressure of 11,000-PSI. Includes line valve and relief valve for easy removal from tank. Comes with 3,000-lb. gauge. 42.50

B STANDARD FILLING ATTACHMENT—
Same features as above but without line valve. 27.50

C STORAGE TANK VALVE—
Forged brass, 3/4" thread, easy turn knob. 9.75

D LINE VALVE—
Soft seat for on and off fingertip control. 3,500-PSI working pressure, 1/4" NPT. 12.00

E TEFLON TAPE—
Useful thread sealing material replaces the paste-type sealants. Handy roll is 1/2" x 288" long. 4.35

F PIGTAIL CONNECTOR—
For connecting storage tank tee to tanks. 6.10



ACTIVATED CARBON (Charcoal)—
For use in air filter systems.
One gallon can, 4 x 10 mesh. 4.75




ACTIVATED ALUMINA—
For use in air filter systems.
One gallon can. 9.15



DACOR COMPRESSOR OIL—
Especially formulated for use in high pressure compressors, such as Rix, Worthington, Joy, Engersoll, Rand. Exceptionally low in carbon content and compounded for "continuous use" lubrication. One gallon can. 10.00

DIVE DACOR

...THE EQUIPMENT THAT'S SAFETY PROVEN



The leader in the manufacture of precision diving equipment



Experience

Dacor has been producing underwater breathing equipment for more than 14 years. Well trained and skilled personnel have, over the years, given Dacor a reputation for the finest in engineering and manufacturing. Since the company's inception, Dacor equipment has been used by professionals in many under-sea projects and has gained an outstanding reputation among the experts.


Quality Line

All the materials used in the manufacture of Dacor equipment are of the highest quality. Dacor products are subjected to rigid quality control standards far in excess of government specifications. Care and safety are part of Dacor's standard of excellence.

Imagination

Dacor maintains a constant and continuing research and development program. Our engineering staff is actively pursuing projects in life support systems, underwater communication and other equipment used in "Man in the Sea" type programs.

DACOR CARE
IS SAFETY
PROVEN



EXPLORE DACOR

DEEP DIVING
WITH THE PROFESSIONALS

Dacor's equipment is playing an important role in inner-space exploratory projects. Leading professionals choose Dacor equipment at depths of 650 feet, where reliability and dependability are a necessity. This is why you can be sure that the finest diving equipment in the future will bear the name "Dacor."

Photos courtesy of Ocean Systems



DIVE DACOR

A COMPLETE LINE
OF DIVING EQUIPMENT

DACOR



DACOR CORPORATION

MANUFACTURERS OF DIVING EQUIPMENT • 5190 CHURCH STREET/SKOKIE, ILLINOIS / (312) 967-7300

PRINTED IN U.S.A.