




Diving Equipment Guide


1968



FINE EQUIPMENT MAKES DIVING MORE ENJOYABLE

Dacor

The leader in the manufacture
of precision diving equipment



Experience


Dacor has been producing underwater breathing equipment for more than 15 years. Well trained and skilled personnel have, over the years, given Dacor a reputation for the finest in engineering and manufacturing. Since the company's inception, Dacor equipment has been used by professionals in many under-sea projects and has gained an outstanding reputation among the experts.

Quality Line

All the materials used in the manufacture of Dacor equipment are of the highest quality. Dacor products are subjected to rigid quality control standards far in excess of government specifications. Care and safety are part of Dacor's standard of excellence.

Imagination

Dacor maintains a constant and continuing research and development program. Our engineering staff is actively pursuing projects in life support systems, underwater communication and other equipment used in "Man in the Sea" type programs.



DACOR CARE IS SAFETY PROVEN



TKC

TRC

THERMO-COAT TANKS

TC—Bare Tank	66.00
TKC—Standard Valve Tank	82.50
TRC—Reserve Valve Tank	98.50



TRC-2



TKG

TRG

GALVANIZED TANKS

TG—Bare Tank	66.00
TKG—Standard Valve Tank	82.50
TRG—Reserve Valve Tank	98.50

Dacor Tanks

in rugged Thermo-Coat colors

COLORFUL DACOR THERMO-COAT

DACOR TANKS

These 71.2 Cu. Ft. strong Chrome-Molybdenum steel tanks are safety tested at twice the normal pressure. Designed to float when empty. All tanks come with 3/4" "O" ring seal for positive air retention.

Exclusive fluidized bed process fuses color coating to tank permanently. Finish is bonded to tank at 450 degrees. Thermo-Coat will not chip, fade or peel. Color-up your diving . . . choose this special finish in Navy Blue, Battleship Gray, Canary Yellow or Jet Black.

DOUBLE TANK BLOCKS

MODEL TRC-2—Double tanks, Thermo-Coat colors; reserve valve **194.50**

MODEL TRG-2—Double tanks, galvanized; reserve valve **194.50**

MODEL CDP-2—Custom Pak for twin tank blocks has two heavy gauge bands (not designed for quick release). Available in blue and black. Tanks and pak priced separately. **26.95**

TANK FIVE YEAR GUARANTEE

Dacor guarantees all tanks from the original test date to pass the required 5-year I.C.C. hydrostatic test. Replacement will be made at no charge for any tank that fails to pass the test. This guarantee does not apply if failure to pass the test is the fault of the user through misuse, mechanical damage or improper care. Guarantee valid only when registration card is sent to Dacor Corp. within ten (10) days from date of purchase. Tanks claimed to be defective are to be returned to factory freight prepaid.



Dacor Regulators

quality workmanship—unequaled performance

5 YEAR GUARANTEE

All Dacor regulators are covered by a 5 year guarantee certificate which is attached to each regulator.



When it comes to regulators, Dacor has reason to be proud of its record of precision manufacture and quality control. Dacor has gained a reputation for excellence over the past 15 years for developing regulators that assure effortless breathing and continuous reliability.

Every Dacor regulator now offers up to 30 cubic feet per minute with absolute minimum breathing effort. Regardless of exertion at depth, Dacor regulators will deliver the volume of air required. Dacor's exclusive new injection system is the most important advancement in regulator design in the past 20 years. Air surges to the mouth are eliminated because of Computed Volume System.

Dacor's standard of excellence re-

quires every regulator to be performance tested in fully instrumented testing facilities. In addition Dacor maintains a continuous quality control and research program under which regulators are subjected to environmental tests at temperatures down to 83 degrees below zero F. and to simulated dives to 7,000 feet. These units are under pressure and underwater where breathing cycles are obtained from a specially designed mechanical breathing device which is subjected to the same conditions as the regulators.

This is why the Dacor regulators are the first choice of leading organizations for their "Man in the Sea" type programs. Dacor regulators are tested in the lab . . . proven in the field.



Dacor Single-Hose Regulators

A MODEL D-1 SINGLE HOSE TWO STAGE "DART"—

With all these quality features:

1. Large area diaphragms for easy breathing.
2. Parts made of heavy gauge brass are copper and nickel chrome-plated for lifetime corrosion resistance.
3. Extra comfort mouthpiece.
4. Rubber exhaust tubes discharge exhaled air out of the field of vision.
5. Air gauge and air compressor connector.
6. Second Stage ideally balanced to eliminate any feeling of weight or pull on your mouth.
7. All hoses tested at five times working pressure.
8. Down stream fail safe second stage valve

69.50

B MODEL D-2 SINGLE HOSE TWO STAGE "DART"—



Identical features as above but with one piece heavy-duty forged yoke and body.

74.50

C MODEL DR-2 SINGLE HOSE TWO STAGE "DART"—

Same as above but with 300 PSI reserve in the first stage. Reserve guaranteed accurate within 5%!

89.50



Dacor Two-Hose Regulators

D MODEL R-4—TWO STAGE— DOUBLE DIAPHRAGM

This regulator represents the ultimate in breathing perfection. This unit has been used by professionals the world over for more than 15 years. Two large area diaphragms for easy breathing; high polished triple chrome plating for extra long life. Here is superb design and craftsmanship with built in reliability to meet every diver's exacting demands at any depth.

89.50

E MODEL C-3—TWO STAGE "CLIPPER"

Two hose, two stage model is the highest quality ever offered at a popular price. Same basic features as Model R-4 but without separate exhaust chamber and exhaust diaphragm. This regulator offers extreme ease of breathing with air volume of 30 cubic feet per minute.

74.50

A MODEL DM-10 UNIVERSAL*
 DACOR'S most popular mask features slanted design for greater visibility. This mask has set a standard as the finest sealing mask in the world. Available in blue and black. **5.50**

B MODEL DM-12 TRITON*
 Straight upward movement makes for easier equalizing with gloved hands. Patented separated nostril pads close nostrils without interfering with web between nostrils. Features purge valve for easy water clearing. Available in blue and black. **7.50**

MODEL DM-13 TRITON*
 Same as DM-12 but without equalizer pads. Available in blue and black. **6.50**

C MODEL DM-14 SEE RITE*
 20% more side visibility with this specially designed mask for wider faces. Features purge valve to clear water easily. Available in blue and black. **6.50**

MODEL DM-15 SEE RITE*
 Same as DM-14 but without purge valve. Available in blue and black. **5.50**

D MODEL DM-16 VEDO
 Mask is specially designed so that you can easily substitute your own prescription lenses. "O" ring insures against leakage; includes lens tool. Black only. **10.95**

E MODEL DM-17 MONDIAL PROFESSIONAL MASK
 This is our deluxe mask for the diver who wants the best. Maximum leak-proof double feather edge is contoured to fit the face perfectly, eliminating facial fatigue. Minimum air volume between diver's face and lens, easy to equalize. Available in blue and black. **12.95**

F MODEL DM-20 NEWPORT
 Slanted lens and close fit to the face for wider field of vision. Front entry finger wells for easy equalizing. Black only. **8.95**

G MODEL DM-25 MINI-PRO
 At last, a professional mask for the smaller face. All of DACOR'S finest features including easy equalization finger wells. Ideal for women and younger divers. Black only. **6.50**

H MODEL DM-30 EQUALIZER*
 Features the soft, excellent sealing qualities and comfort of our famous DM-10, but has finger wells for easy equalization. Purge valve. Available in blue and black. **7.50**

MODEL DM-31 EQUALIZER*
 Same as DM-30 but without purge valve. Available in blue and black. **6.50**

I MODEL DG SWIM GOGGLES
 Championship type. Soft double feather edge for leak-proof seal. Tempered lens. Close to face design to eliminate drag. **4.50**

MODEL PVA PURGE VALVE ASSEMBLY KIT


Fits all purge valve masks. Rubber body and valve with chrome plated brass disc. **1.50**



- Rubber is compounded to resist ozone, sun and salt
- Special care and attention are given to the feather edges for sure-seal fit and long-wearing comfort
- Tempered lenses and stainless steel rims
- Chrome-plated brass strap buckles

*Available in military anti-magnetic models. Prices and specifications upon request.

Dacor Masks




Dacor Snorkels

scientifically designed for
maximum performance

DACOR ALL RUBBER SNORKELS—

Long wearing black rubber compounded to resist sun, salt, and ozone. Comfortable odorless and tasteless mouthpiece. Original Orange "Glo-Top"[®]—not a paper decal—but a special flexible plastic that actually reflects light. It's iridescent!



A MODEL GST—WRAP-AROUND BIG BARREL SNORKEL—

The first major improvement in snorkel concept and design in many years. Made especially for the expert skin diver who needs that extra volume for deeper dives. "Wrap Around" design fits contour of head and minimizes water resistance while diving. Extra large diameter barrel allows easier volume intake, yet it is exceptionally easy to clear. Short length minimizes CO₂ build up and eliminates drag in water. High impact clear plastic construction, molded rubber lug-type mouthpiece and "Glo-Top."[®] **4.50**



PATENT PENDING

B MODEL UST—UNIVERSAL "GLO-TOP"[®] SNORKEL—

This most popular type snorkel delivers maximum air volume under all conditions. The universal favorite of divers the world over. Comfortable lug type mouthpiece. **2.20**

C MODEL FST—SPIRAL-FLEX "GLO-TOP"[®] SNORKEL—

Flexible spiral hose bends to any shape or angle, spins water out, won't crimp or shut off air. **3.30**

D MODEL LST—"L" SHAPED "GLO-TOP"[®] SNORKEL—

Exciting new addition to DACOR'S snorkel line. New design minimizes drag by reducing tubing below head level. Comfortable lug type mouthpiece. **2.70**



Dacor Corda Fins

Longer blades and heavier side rails now deliver astonishing speed and more power! Finest quality rubber, comfortable for untiring use, ideally balanced for maximum efficiency. Comfortable full foot design provides protection against rock and coral. Sizes 2 through 15 in Black (non-floating) and Blue (floating).



CORDA BLACK

C23K	Size 2-3	7.95
C45K	Size 4-5	8.95
C67K	Size 6-7	9.95
C78K	Size 7-8	10.95
C910K	Size 9-10	11.95
C1112K	Size 11-12	11.95
C1315K	Size 13-15	12.95


CORDA BLUE

C23U	Size 2-3	8.95
C45U	Size 4-5	9.95
C67U	Size 6-7	10.95
C78U	Size 7-8	11.95
C910U	Size 9-10	12.95
C1112U	Size 11-12	12.95
C1315U	Size 13-15	13.95

Dacor Spearguns—A Complete Line for the Underwater Hunter

All the finest and most important features necessary are incorporated to make Dacor's gun line the ultimate in engineering and design. Special care and attention have been given to the most important part of the gun—the firing mechanism.

How did Dacor do it? 15 solid years of experience in making the finest underwater diving equipment, 5 years of research and development in underwater weaponry alone, professional advice from many spearfishing champions—all have given Dacor the best background in the business for producing a total high performance line of guns. We waited until we had the best . . . and here they are!





DACOR PNEUMATIC SPEARGUNS

**THE ULTIMATE UNDERWATER WEAPON
FOR VELOCITY . . . IMPACT . . . PENETRATION**

These guns will solve the expert diving hunters' biggest problems: acquiring maximum killing power and fast, easy reloading under difficult circumstances.

- Spear piston of hardened steel with rubber molded packing eliminates pressure loss and minimizes friction and wear
- Damage proof shaft tail for positive shaft to piston hook-up
- Reserve cylinder can be loaded up to 20 atmospheres for maximum velocity
- Exclusive recoil device absorbs piston energy for greater accuracy
- Hardened steel sear mechanism for fail-safe shaft release
- Hand-contoured pistol grip inspired by designs used in Olympic pistol competition
- Specially weighted neutral balancing for underwater sighting and firing eliminates strain and fatigue
- Fiberglass reinforced Cyclocac trigger housing able to withstand 4 times normal working pressure
- 300 series stainless steel $\frac{3}{8}$ " shaft for greater strength and impact
- All guns come with 2-barb stainless steel spearhead

MODEL TPG TRIJET—LOADS EASY . . . SHOOTS HARD

In the past, the problem with pneumatic guns has been that the harder they shot, the harder they were to load. The DACOR TRIJET with revolutionary 3-position firing has now made it possible to load a gun pumped up to 20 atmospheres as easy as if it were pumped up to 5 atmospheres. The secret is in the 3-position system. First you load the gun in position #1. Once loaded, you switch to #2 position for medium force or #3 position for maximum fire power. 50-in. length.

106.70

AEROJET

Same fine features as TRIJET but without three position firing and reserve cylinder.

MODEL MPG AEROJET 50—Fifty inch length **95.60**

MODEL SPG AEROJET 40—Forty inch length **86.70**



STINGRAY RUBBER POWERED SPEARGUNS


FEATURE FOR FEATURE . . . THE BEST AND MOST DEPENDABLE.

- All internal parts of 300 series stainless steel; handle and barrel of anodized marine aluminum for maximum corrosion resistance
- Friction free bearing design on all sear pivots for fast, smooth shaft release
- Separated wrap-around elastics for more uniform loading
- Smooth-action trigger—pull does not increase with additional rubber load
- Thumb control "silent safety"
- Automatic line release and shockcord
- Straight back trigger pull for improved balance and more natural squeeze action
- $\frac{3}{8}$ in. stainless steel shaft for greater strength and impact
- Quick assembly and disassembly for easier maintenance and cleaning
- Gun floats without shaft
- All guns come with 2-barb stainless steel spearhead

LE47—3 Rubbers—47" Length **46.20**

ME43—2 Rubbers—43" Length **43.35**

SE35—2 Rubbers—35" Length **40.00**



POLE SPEAR

A new and different twist to the pole spear design. Just a twist of the wrist for extension and locking. Adjustable underwater from 42-in. to 106-in. Heavy-wall anodized marine aluminum tubing, stainless steel shaft. Excellent for use with powerheads.

MODEL ESP 24.95



SPEARHEADS

- MODEL ESP-2-1**—Single barb **2.25**
- MODEL TPG-2-1**—Double barb, stainless steel . . . **4.95**
- MODEL DSA-2-1**—Adapts metric shafts to S.A.E. threaded heads **1.50**

Dacor Valves, Paks, Tank Boot

superior in quality and design

**A CUSTOM CONTOURED BACK PAKS
MODEL QDP—DELUXE PAK**

Body contoured for correct tank position and maximum comfort, self locking over-center cam for quick tank change. Large comfortable handle for easy carrying. Handle locks against band when not in use. Quick release snaps at shoulder. Waist has exclusive "Quik-Ditch" buckle. High tensile strength 2" nylon webbing for durability. Made of heavy gauge marine aluminum with rugged Thermo-Coat finish. Two inch wide 300 series adjustable stainless steel band for strength and corrosion resistance. All hardware also of 300 series stainless steel. Available in blue and black.

24.50

B MODEL SDP—STANDARD PAK


Same as above, but without handle and cam.

17.95

MODEL CDP-2—DOUBLE TANK PAK

See page 3 for illustration and description.

26.95



C MODEL JV 3/4 VALVE
3/4" "O" ring seal, spring-loaded reserve valve in bright chrome finish. Easy-to-use large knurled shut-off knob. 300 PSI reserve is fool-proof and reliable, design is simplified for accuracy and service free operation.

36.00

MODEL JV 1/2 VALVE (not shown)
Same as above, but with 1/2" pipe thread.

37.50

**D MODEL JV 3/4-2
DOUBLE TANK VALVE**
Connects two tanks for twin operation. Spring-loaded reserve type, of heavy brass, chrome plated for longer life. Rugged center section withstands severe stresses; large knurled knob for easy shut off. 3/4" "O" ring seal. Reserve set for 500 PSI.

64.50

E MODEL KV 3/4 VALVE
3/4" "O" ring seal standard "K" valve made of heavy forged brass with copper, nickel and bright chrome finish. Large knurled knob is easy to shut off with gloved hands.

19.50

F MODEL TB TANK BOOT
Supports tank in upright position, protects tank and eliminates damage to pool tile and other surfaces. Made of sun and salt resistant non-marking rubber. Available in blue, black and yellow.

5.50



Dacor Gauges, Watches & Compasses

are always accurate
and easy to read

- A MODEL DGR—100 DEPTH GAUGE**
Highly accurate, corrosion resistant mechanism in hermetically sealed case. Large luminous dial for easy reading. One piece molded rubber case and strap for extra gauge protection. Reads to 100 feet. **12.95**
- MODEL DGR—200 DEPTH GAUGE**
Same features as above but reads to 200 feet (not shown). **12.95**
- B MODEL ODG—OIL FILLED DEPTH GAUGE**
When accurate measurements are a necessity, this highly sensitive diaphragm-operated gauge can be relied upon from 0 to 250 feet with an accuracy of 1%. Recalibratable for altitude differences. Easy-read dial with luminous numbers. Each serialized gauge comes with complete test history. **37.50**
- DACOR AUTOMATIC CALENDAR WATCHES**
Finest quality 17-jewel movement is pressure tested to 1000 feet. Rotating bezel, luminous dial and anti-magnetic. Stainless steel case.

- C MODEL ACW—Men's Automatic Calendar Watch.** **84.50**
- D MODEL LCW—Ladies' Automatic Calendar Watch.** **84.50**
- E MODEL DC DIRECTIONAL SIGHTING COMPASS**
Accurate pressure proof compass encased in high impact plastic case with centering bubble for easy leveling. Easy to read luminous markings. Comfortable molded rubber strap. **3.95**
- F MODEL WC—WATCH BAND COMPASS**
Find the way with this small, accurate and easy to read compass. Precision made mechanism with high impact crystal. Dial has luminous directional arrow and is balanced for free movement on a frictionless bearing. Fits on watch band or depth gauge strap. **5.95**
- G MODEL DPG—UNDERWATER AIR PRESSURE GAUGE**
Gives continuous tank pressure reading while diving. Allows you to accurately time your dive. Rubber-covered case protects against damage. 12,000 PSI high pressure hose. Fits single hose regulators and valves. **23.95**
- H MODEL PSG—PRESSURE SETTING GAUGE**
Designed to correctly set pressure in first stage of single hose regulators or in two hose regulator with adaptor. Complete with bleeder screw. **9.95**
MODEL PSGA — adaptor for two hose regulator (not shown). **2.25**
- I MODEL PGR—DELUXE TANK PRESSURE GAUGE**
Chrome plated brass model features shock resistant neoprene gauge cover. Large knurled relief screw is easy to turn; yoke swivels enabling gauge to be turned for easy reading. Body is machined from solid brass stock, forged yoke and screw. **12.95**



Nylon Lined Wet Suits

for the wet set

New THERMO-SKIN is softer and stronger—twists, bends, and moves with you—for maximum comfort and heat retention. Tuff-Textured exterior, with nylon lining bonded to closed cell neoprene, every suit is contoured to fit perfectly. Suits have twist locks and 5 nickel zippers.



MEN'S WET SUIT

MODEL 100—

Men's jacket and pants— $3/16$ " Tuff-Textured exterior—nylon lined. 75.00

MODEL 200—Men's jacket and pants— $1/4$ " Tuff-Textured exterior—nylon lined. 80.00

SKI JACKETS

$3/16$ " Tuff-Textured exterior, unlined, one zipper, crotch strap with twist locks. You get extra freedom of movement with under-arm "V" design.

A MODEL SJM — MEN'S SKI JACKET 26.90

B MODEL SJW — WOMEN'S SKI JACKET 26.90

C HOODS

Specially designed face opening for maximum protection and comfort. Tuff-Textured exterior, nylon lined.

MODEL HD-100 — $3/16$ " hood 6.70

MODEL HD-200 — $1/4$ " hood 7.45

D MODEL MT-100— 3 FINGERED MITT—

Provides protection and insulation. $3/16$ " Tuff-Textured exterior, nylon lined. 7.90

E MODEL GL-100— 5 FINGERED GLOVE

Provides comfortable and easy movement for all fingers and thumb. $3/16$ " Tuff-Textured exterior, nylon lined. 9.50

F SOFT SOLE BOOTS

MODEL SBT-100 — $3/16$ " Tuff-Textured exterior, nylon lined. 7.45

MODEL SBT-200 — $1/4$ " Tuff-Textured exterior, nylon lined. 8.20

G HARD SOLE BOOTS

MODEL HBT-100 — $3/16$ " hard sole Tuff-Textured exterior, nylon lined. 9.35

MODEL ZBT-100 — $3/16$ " hard sole Tuff-Textured exterior, nylon lined, with zipper. 11.65

MODEL SC-SUIT CEMENT (not shown)—4 oz. can. 1.25

WOMEN'S WET SUIT

Styled with built in bustline and contoured pant legs.

MODEL 150—Women's jacket and pants— $3/16$ " Tuff-Textured exterior—nylon lined. 75.00

MEN'S SUITS AND JACKETS SIZE CHART

	HEIGHT	WEIGHT	WAIST	CHEST
SMALL	5'5"-5'9"	135-150	30-32	36-38
MED.	5-7"-6'0"	150-170	32-34	38-40
LARGE	5'10"-6'1"	175-190	34-37	40-42
X-LGE.	6'0"-6'2"	190-220	38-40	42-44

WOMEN'S SUITS AND JACKETS SIZE CHART

	BUST	WAIST	HIPS	WEIGHT
SMALL	32-34	20-24	32-36	100-120
MEDIUM	34-36	22-26	34-38	110-130
LARGE	36-38	26-30	36-40	120-145

Dacor Floats, Flags and Vests

provide you with
the maximum in safety!

A MODEL SF-1
SAFETY FLOAT—
Excellent for use as a safety
float, marker buoy, lifting
device, and spearfishing aid.
New design features 100%
corrosion resistant Cyclocac
housing. Small and compact,
yet large enough when
inflated to support a 200-lb.
man. Lever action inflates
easily. Special cartridge
retainer makes it easy for you
to remove and replace
low-cost seltzer cartridges
which are available every-
where. Colors: yellow and
black. **7.95**

B MODEL SF-2
DOUBLE SAFETY FLOAT—
Same features as above
but larger in size with double
cartridge, one at each end.
Double float equipped with
harness. Colors: yellow
and black. **12.95**



C MODEL DSF DIVERS
SAFETY FLAG—
A necessary safety precaution.
Attaches to inner tube by
corrosion resistant metal
bracket and adjustable strap.
Three foot black fiberglass
shaft holds standard 12" x 15"
international divers' flag. Flag
is supported in outright
position. **6.95**

D MODEL DV-3
INFLATABLE VEST—
Newly designed in rubberized
nylon with form fitting collar,
heat fused seams with special
edge binding for added
strength. Shorter and more
comfortable, eliminates
interference with weight belt.
Features slit pocket, quick
release harness. Oral inflator.
16 gram CO₂ cartridge.
Available in orange and
charcoal. **24.50**



E MODEL FDV FOLD-AWAY
INFLATABLE VEST—
A standard size vest that folds
into a small compact pouch
which measures only 10" x
16". When inflation is
required pouch opens
automatically. Heat fused
seams with binding for added
strength and comfort. Oral
inflator. Uses 16 gram CO₂
cartridge. Available in orange.
32.45

F MODEL PIB INFLATABLE
MARKER BUOY—
Inflatable floating buoy to
mark diver's position. Complete
with 50' nylon line. **12.95**



Dacor Accessories

are professionally tested
under rugged conditions




B



D



C




A



E



F



G

A MODEL DKB—KNIFE AND SHEATH—
7" long, hand-forged Solingen stainless steel blade will keep its edge far longer than ordinary diving knives! With molded non-slip rubber handle and combination leg and waist sheath. Exclusive serrated saw edge; markings on blade for measuring abalone. 12.95

B MODEL UL-700—UNDERWATER LIGHT—
87,000 candle power sealed beam with concentrated power for extra long visibility underwater. This is the light used by leading organizations in their deep diving projects. Not a land light revamped for diving, but a specially designed diving light with depth compensating seals. Uses 6-volt battery available everywhere. It floats! Guaranteed leakproof to 700 feet. 18.95

C MODEL UC-104—CAMERA AND HOUSING—
New improved underwater camera housing with Instamatic 104 flash cube camera

has stronger contoured handle grips for steadier shooting and gold plated contact points for positive flash. Batteries are enclosed in camera. New type rubber pressure mounts in rear of case eliminate camera shifting. Camera housing has "O" ring sealed controlled shafts. For clearer, sharper underwater pictures, we recommend Model FA Flash Attachment (see below). Camera adjusts to proper lens speed automatically when flash is attached and complete unit operates to 200 feet. 59.95

MODEL UC-10—CAMERA HOUSING (same as UC-104 but without camera) For use with Instamatic flash cube cameras Model No.'s 104, 154, 304, 404. Please specify when ordering for the 154 or 404 so that a slight adaptation may be made at the factory. 43.95





D MODEL FA—FLASH ATTACHMENT
Corrosion - proof permanent

finish with exclusive white reflector for the best light diffusion underwater. 15.00

E MODEL WB—"QUICK-DITCH" WEIGHT BELT—
Made of sturdy 2" nylon with stainless steel quick-release buckle. Buckle features quick action tongue which guarantees "full open" position when opened for any emergency. Belt will not slide when closed. Available in yellow, blue or black. 4.95



F MODEL DW2—WEIGHT—
Two pound custom contoured lead weight containing nickel for the diver who wants a better quality weight with a smoother finish and less discoloration. 1.95

G MODEL AI—ACCESSORY INFLATOR—
Built-in restricted orifice reduces air volume for slower inflation, providing safety. For use in filling auto tires, inner tubes, and other items. Attach to diving cylinder valve for inflation needs. 9.95



Dacor Air Station Accessories








are finest quality
and construction!



- A FINAL FILTER**
For removal of all foreign contaminants as small as microscopic dust particles. 10 micron reusable stainless steel filter removes easily for cleaning. Attaches to filling attachment or storage tanks. Brass body, "O" ring seal, 3500 lb. working pressure. **10.00**
- B MANIFOLD TEE** — For connecting pigtail to storage tank valve. **7.45**
- C PIGTAIL CONNECTOR** — For connecting storage tanks together. **9.15**
- D DELUXE FILLING ATTACHMENT** — Featuring all brass, high pressure fittings, 6-ft. long high pressure hose has minimum burst pressure of 11,000 PSI. Includes line valve and bleeder valve. Comes with 3,000 lb. gauge. **44.50**
- E STANDARD FILLING ATTACHMENT** — Same features as above but without line valve. **32.50**

F AIR STATION GAUGE
First and only gauge of its type, designed and made specifically for air stations. Large clock-size 10" dial can be read from 40 feet away. 0-5000 PSI calibration, heavy duty 11½" metal case with safety front, recalibrating screw, stainless steel Bordon tube, ¼" male N.P.T. outlet, guaranteed 3% accuracy. **59.70**

- G LINE VALVE** — Easy on and off fingertip control. Forged brass body, 3500 PSI working pressure, ¼" N.P.T. male and female thread. **12.00**
- H STORAGE TANK VALVE** — Forged brass, ¾" thread, easy turn knob. **9.75**
- I ACTIVATED ALUMINA** — For use in air filter systems. One gallon can. **9.15**
- J ACTIVATED CARBON (Charcoal)** — For use in air filter systems. Dust free. One gallon can, 4 x 10 mesh. **4.75**
- K DACOR COMPRESSOR OIL** — Especially formulated for use in high pressure compressors such as Rix, Worthington, Joy, Ingersol Rand. Exceptionally low in carbon content and compounded for "continuous use" lubrication. One gallon can. **10.00**



Dacor Fittings

are machined from solid brass bar stock
3,000 P.S.I. working pressure

MODEL DAA—AIR TESTING KIT

First and only field testing kit developed specifically for testing diving air. Determines presence of unacceptable amounts of Carbon Monoxide, oil, and water. Analyzer includes material for six complete tests. Additional materials readily available.

Simplified color comparison method makes this analyzer easy to use. Complete instructions provided. Analyzer contained in strong, rubber gasketed white steel box with carrying handle, snap locks, and hanging brackets. Contents: Aspirator bulb, CO test orifice/check valve assy., oil-water test filter holder and test filter material, air sample bag, CO Colorimetric testing tubes, thermometer, and record chart for certification of each test.

71.85

A TEFLON TAPE — Useful thread sealing material replaces the paste-type sealants. Handy roll is 1/2" x 288" long. 4.35

B ELBOW—1/4" N.P.T. 2.25

C PLUG—1/4" N.P.T. .45

D TANK THREAD REDUCER—1" to 1/2". 3.55

E HEX NIPPLE—1/4" N.P.T. 2.25

F E-Z SEAL "O" RING — for most older valves—replaces white Teflon seals. .40

G STANDARD VALVE FACE "O" RING. .40

H MANIFOLD—Application for multiple tank fillings. Four 1/4" N.P.T. outlets. 9.15

I STREET ELBOW—With male and female threads, 1/4" N.P.T. 1.80


J COUPLING—1/4" N.P.T. 2.80

K NUT AND TAIL PIECE—For storage tank valve, 1/4" N.P.T. 3.10

L TEE—1/4" N.P.T. 3.45

M "O" RING LUBE—Specially formulated for use in underwater breathing regulators and valves . . . non-toxic, non-water soluble. 3 oz. 3.50

N YOKE NIPPLE AND NUT—1/4" N.P.T. (yoke and screw not included). 2.60



Those Who Want The Best... Dive Dacor



The Underwater World is Yours When You **Explore Dacor**



DACOR CORPORATION • MANUFACTURERS OF DIVING EQUIPMENT

5190 CHURCH STREET/SKOKIE, ILLINOIS 60076/ (312)967-7300/CABLE DIVECOR