

TAUCHTECHNIK

GRÜTTER + CO. · FABRIKATION VON TAUCHAUSRÜSTUNGEN · 233 ECKERNFÖRDE/GERMANY
NIEWARK 10 · TEL. (04351)5500



**High Quality
Diving Equipment**






**Tauchausrüstung
hoher Qualität**

**Equipelement pour
le sport sous-marine**

EXPORT-PRICELIST 1969



ories
 on lined
 zes 1—
 ached
 ached
 ned
 yned
 red
 le
 ation
 ition or
 orange
 del
 del
 eeves
 gloves
 n, nyl
 /lon lin
 or blue
 lining
 lining
 nsatin
 nsat
 nose,
 l nose
 ith leg
 ber
 uick re
 v
 ckle, k
 meter
 weigh
 s, bra
 ation
 watter
 DC tal
 CM tr
 dial (s
 sit)
 mpas
 petiti
 te wi
 60 at



Neopren Models



452
552
402



453
553
403



401, 451



457, 607



560
Waterski



404, 454
554



455, 605



406, 456
556, 606



458
558



409



470
Kombination



420 Eskipants
480 Finnpants
580 Finnpants

All parts foam neoprene, blue nylon lined, RUBATEX, smooth skin or sharkskin design.
Black material only, 3 standard sizes 1—3 or custom made.

402/.....	1/8"	Jacket, long arms, zipper	CALORpren	1.100 kg	111,—
552/.....	3/16"	Jacket, long arms, zipper	TWINNYLON	1.500 kg	121,—
452/.....	3/16"	Jacket, long arms, zipper	Sharkskin	1.500 kg	121,—
602/.....	1/4"	Jacket, long arms, zipper	Sharkskin	1.800 kg	139,—
457/.....	3/16"	Arctic-acket with hood attached	Sharkskin	1.600 kg	139,—
607/.....	1/4"	Arctic-jacket with hood attached	Sharkskin	1.900 kg	156,—
553/.....	3/16"	Lady jacket, blue/red designed	TWINNYLON	1.500 kg	158,—
453/.....	3/16"	Lady jacket, black/red designed	Sharkskin	1.100 kg	120,—
413/.....	3/16"	Lady bathing-suit	TWINNYLON	0.600 kg	105,—
404/.....	1/8"	Pants, normal length	CALORpren	1.000 kg	78,—
554/.....	3/16"	Pants, normal length	TWINNYLON	1.100 kg	128,—
454/.....	3/16"	Pants, normal length	Sharkskin	1.100 kg	89,—
604/.....	1/4"	Pants, normal length	Sharkskin	1.300 kg	100,—
455/.....	3/16"	Pants, chest high cut	Sharkskin	1.200 kg	100,—
605/.....	1/4"	Pants, chest high cut	Sharkskin	1.300 kg	111,—
406/.....	1/8"	Hood	CALORpren	0.200 kg	14,—
556/.....	3/16"	Hood, orange/black or blue/red	TWINNYLON	0.200 kg	29,—
456/.....	3/16"	Hood	Sharkskin	0.250 kg	19,—
606/.....	1/4"	Hood	Sharkskin	0.300 kg	22,—
456a/.....	3/16"	Hood, long neck model	Sharkskin	0.250 kg	23,—
606a/.....	1/4"	Hood, long neck model	Sharkskin	0.350 kg	27,—
460K/.....	3/16"	Children wet suit, tailor made	Sharkskin		120,—
470/.....	3/16"	Yachting one-piece combination	Sharkskin	2.000 kg	180,—
570/.....	3/16"	Yachting one-piece combination orange/black	TWINNYLON		
465/.....	3/16"	FINNpants, regatta trousers	Sharkskin	1.800 kg	135,—
565/.....	3/16"	FINNpants, regatta trousers orange/black	TWINNYLON		170,—
510/.....	3/16"	Waterski-suit, one-piece model	TWINNYLON	1.400 kg	170,—
460/.....	3/16"	Waterski-suit, one-piece model	Sharkskin	1.200 kg	139,—
410/.....	1/8"	Waterski-suit, idem, short sleeves	CALORpren	1.100 kg	100,—
420/.....	1/8"	ESKI-pants, kajak-trousers	CALORpren	1.500 kg	116,—
408/.....	1/8"	Socks, for use of fins	CALORpren	0.300 kg	20,—
558/.....	3/16"	Booties, reinforced soling	TWINNYLON	0.350 kg	31,—
458/.....	3/16"	Booties, reinforced soling	Sharkskin	0.350 kg	23,—
409/.....	1/8"	3-Finger Diver + Waterski gloves	NEPEX	0.150 kg	20,—

Neoprene sheetings, 100 x 300 cm, nylonlined

400	1/8"	CALORpren, black, black nylon lining		on request	
550	3/16"	TWINNYLON orange/black or blue/red		on request	
450	3/16"	Sharkskin, black, blue nylon lining		on request	
600	1/4"	Sharkskin, black, blue nylon lining		on request	
692		Neoprene Cement, 50 gr. tube		0.060 kg	1,50
696		Tenax patent bottoms, each		0.020 kg	1,40
101		TUBA yellow plastic snorkel		0.080 kg	1,60
102		TUBAFLEX black rubber snorkel		0.140 kg	3,10
105		DIVATOR mask, black with compensating bellows		0.300 kg	10,—
106		DIVATOR mask, yellow, with compensating bellows		0.300 kg	10,—
110		BALTICA II mask, black, moulded nose, gouble rim		0.320 kg	11,—
111		BALTICA II mask, yellow, moulded nose, double rim		0.320 kg	11,—
200		SUPERCAGO divers tool knife, with leg sheath		0.650 kg	23,—
201		SUPERCAGO knife without sheath		0.370 kg	19,—
202		Leg sheath for tool knife, black rubber		0.280 kg	4,—
210		TAUCHTECHNIK diver belt with quick release buckle		0.170 kg	9,—
211		Lead weights, plasticcoated, yellow		0.650 kg	2,40
212		TAUCHTECHNIK quick release buckle, brass, chromed		0.110 kg	5,—
213		Nylon strap 41 x 2 mm, black, per meter		0.060 kg	1,60
215		Plastic compact container for lead weight		0.030 kg	—,55
705		POLARLUX divers torch, 6 batteries, brass chromed		0.600 kg	48,—
706		POLARLUX-PRO idem with polarisation filter		0.500 kg	78,—
707		POLARLUX-HALOGEN 55 W NC-batteries with loader		0.900 kg	390,—
708		FONDOR prof. depth gauge with DC table (in preparation)		0.160 kg	33,—
710		SOS profundimeter depth gauge (CM transit)		0.160 kg	41,—
711		SOS profundimeter with luminous dial (CM transit)		0.160 kg	53,—
715		SOS decompressiometer (CM transit)		0.300 kg	110,—
720		TAUCHTECHNIK spherical fluid compass		0.100 kg	22,—
721		ORIENTSUB diver compass f. competition diving		0.240 kg	75,—
718		SANWEST depth meter		0.040 kg	9,—
730		SALVATOR life saver vest, complete with air tank		1.400 kg	170,—
731		Air tank for SALVATOR, 200 ccm/160 ats.		0.500 kg	45,—

Nr.	Item	Weight	Price DM
Demand Regulators			
311	POLARIS I single-hose two stage regulator, intern.	0.900 kg	70,—
310	POLARIS I idem, German DIN fitting	0.900 kg	70,—
321	POLARIS II idem, compensated 1st stage, venturi, intern.	0.800 kg	132,—
320	POLARIS II idem, German DIN fitting	0.800 kg	132,—
331	POLARIS II idem with full face mask, intern.	1.300 kg	232,—
341	PASSAT V, single stage regulator, stretch-hoses, intern.	1.400 kg	132,—
340	PASSAT V, idem, German DIN fitting, NR-mouthpiece	1.400 kg	132,—
NAVYSUB complete quick-dive unit			
301	NAVYSUB 4 ltr. with demand regulator, intern.	5.500 kg	170,—
300	NAVYSUB 8 ltr. with demand regulator, DIN	11.000 kg	260,—
307	NAVYSUB 7 ltr. complete with reserve valve, intern.	9.100 kg	260,—
Complete cylinder blocks, with reserve valve, SCUBAPAK-harness, boots, without demand regulator; incl. seaworthy case			
909	R 10 Single cylinder, 10 ltr./200 ats.	12.500 kg	290,—
1209	R 12 Single cylinder, 12 ltr./200 ats.	14.500 kg	320,—
810	R 14 Double cylinder, 2 x 7 ltr./200 ats.	16.400 kg	450,—
910	R 20 Double cylinder, 2 x 10 ltr./200 ats.	28.500 kg	540,—
1210	R 24 Double cylinder, 2 x 12 ltr./200 ats.	30.500 kg	570,—
Spare parts for Cylinder blocks			
802	Pillar valve, intern., chromed	0.400 kg	16,—
803	Pillar valve, DIN thread, chromed, rubberhead	0.650 kg	20,—
804S	Reserve valve, DIN thread, rubberhead, pressure indicator	0.650 kg	66,—
804	Reserve valve, DIN thread, rubberhead, without indicator	0.650 kg	60,—
804J	Reserve valve, international, rubberhead, pressure indicator	0.650 kg	66,—
805	UNIVERSAL manifold BI for 2 x 7 ltr. tanks	0.450 kg	35,—
905	UNIVERSAL manifold BI for 2 x 10 ltr. (or 12) ltr. tanks	0.550 kg	40,—
905J	International manifold B for 2 x 10 ltr. tanks	0.550 kg	35,—
806	UNIVERSAL manifold with reserve for 2 x 7 ltr. tanks	0.450 kg	80,—
807	SCUBAPAK backpack with harness, nylon for R 10/R 12	1.200 kg	45,—
908	SCUBAPAK backpack with harness, nylon for R 20/R 24	1.500 kg	58,—
808	SCUBAPAK backpack with harness, nylon for R 14	1.400 kg	58,—
888	Tank boots, rubber, for 7 ltr. tanks, 140 mm ϕ	0.400 kg	7,—
889	Tank boots, for 10/12 ltr. tanks, 172—178 mm ϕ	0.450 kg	7,—
895	FINIMETER, HP pressure gauge for underwater use	0.650 kg	58,—
896	FINIMETER, idem, for not TAUCHTECHNIK valves	0.650 kg	60,—
881	Adapter piece (DIN thread/international)		12,—
880	Adapter piece (international/DIN thread)	0.200 kg	22,—
	Repair of demand regulators, excl. spare parts		24,—
DYNAIR high pressure compressors, Mod. 60 and 140 complete portable compressors, continuous working pressure 200 ats., Petrol or electric driven, with oilabsorber and cleanair-filter, filler attachment.			
D60—E	Electric 2,5 HP driven, 3,5 m ³ h., 3 stages	30.000 kg	2.250,—
D60—B	2 HP ILO two-stroke engine driven, 3,6 m ³ /h.	26.000 kg	2.250,—
D140—E	Electric 3,0 HP driven, 4 stage 8,0 m ³ /h.	56.000 kg	4.200,—
D140—B	4,5 HP ILO driven, 4 stages, 8,4 m ³ /h.	49.000 kg	4.200,—
Professional Constant Volume Dry Suit			
780CV	Nylon/Hypalon reinforced, complete with spare cuffs, watertight DYNAT zipper, oval mask standard sizes only no. 1—3		990,—
STG—65 Professional Light Diving Apparatus			
STG 65	Complete set, consisting of Regulator with harness, with tubes for use with CV-Suit, 40 m floating air hose, surface air supply regulator, Packed in ever-ready case. Prolongating air-hose with coupling on demand.		470,—
DCC 69	Portable Decompression Chamber, single-place, adaptable to Navy-type multi-place chambers, complete with exhaust air supply hose, in preparation For special demand in professional diving equipment please ask for detailed suggestions	70.000 kg	on request
ASC 69	Air supply compressor unit with pressure tank for furnishing up to 5 divers with air, for use of STG 65 light Diving Units		3.680,—

Export-Lieferungsbedingungen

Mit Erscheinen dieser Preisliste verlieren alle früher erschienenen Exportpreislisten ihre Gültigkeit. Änderungen, auch ohne Vorankündigung bleiben vorbehalten. Maßgeblich ist der am Tage der Lieferung gültige Preis. Aufträge gelten erst mit unserer Bestätigung als angenommen. Lieferzeitangaben sind unverbindlich.

Preisstellung:

Mindestauftragswert DM 500,— netto. Wird dieser Wert nicht erreicht, wird ein Verwaltungskostenbeitrag von DM 20,— berechnet.

Preise verstehen sich einschließlich Verpackung fob. Hamburg, franco Flughafen Hamburg bzw. franco deutsche Grenze, für Postsendungen postfrei Eckernförde. Die Ware reist unversichert auf Gefahr des Empfängers.

Mengenrabatt:

Für Bestellungen über DM 1 000,— **10** %
DM 10 000,— **17** %

Zahlung:

Preise verstehen sich rein netto bei Zahlung gegen Akkreditiv, Dokumente oder nach Vereinbarung. Kreditierung setzt Referenzaufgabe voraus. Bei Nichteinhaltung gewährten Zahlungsziels werden 1 % Verzugszinsen pro angefangenem Monat berechnet. Gelieferte Ware bleibt bis zur völligen Zahlung unser Eigentum.

Lieferzeit:

Lieferung erfolgt durchweg ab Lager oder kurzfristig, entsprechend Angaben unserer Auftragsbestätigung.

Garantie:

Siehe Prospektunterlagen, je nach Art der Ware, gemäß den als bekannt vorausgesetzten Garantiebedingungen.

Gerichtsstand:

Für alle Geschäfte ist Gerichtsstand Eckernförde auf Basis deutschen Rechts. Mit Auftragserteilung wird dies anerkannt.

EXPORT CONDITIONS

All previously printed pricelists will be invalid and replaced by this quotations, which are subject to alterations without further notice.

Conditions:

Prices are to be understood incl. packing, fob. Hamburg, free Airport Hamburg, free German border or, for parcels, free local post office. For orders beyond minimum value of DM 500,— we charge DM 20,— for administration costs.

Discounts:

According to quantity ordered the additional discount is:

Minimum value of order DM 1 000,— = **10** % discount
DM 10 000,— = **17** % discount

For bigger quantities of specific items please ask for special offer.

Payment:

Delivery against irrevocable L/C, COD, or, if agreed, against documents. Interest for delay 1 % monthly. Delivered goods remain our property until full payment has been effected.

Guaranty:

See guaranty terms in our leaflets.

Jurisdiction:

Competency of Eckernförde justice on basis of German law.



Handwritten notes in blue ink: 1 250.000 AF and 2.500.000 AF